


Abbeymill

Manufacturers of Quality Fitted Furniture

Trade Price Guide
Kitchen & Bedroom Cabinets



Abbeymill

Manufacturers of Quality Fitted Furniture

Kitchen Cabinet Price Guide

Manufacturing Details

All cabinets are manufactured from 18mm thick high density Melamine Faced Chipboard. Back panels are fully rebated and produced in 8mm MFC. Units are produced using computer controlled machinery to give a consistently accurate build quality which is recognised within the industry.

All Boards used are colour co-ordinated on both sides, thus eliminating the requirement for end finishes and providing a product coloured inside and out.

Where appropriate matches are available, all exposed edges are finished using PVC edging.

All units are manufactured rigid with traditional "Dowels and Glue" construction. However, some units use Cam/Lock fixings to aid access in restricted areas or to aid manufacture.

Base units have 150mm adjustable legs with sockets which provide end panel support.

Colour co-ordinated MFC plinths are supplied in 2600mm lengths.

A 52mm void is provided at the rear of base units and a 18mm void is provided at the rear of wall units to allow easy plumbing and wiring.

Base units are 560mm Deep, Wall units are 300mm Deep (excluding doors).

Wall units are supplied with concealed hanging brackets and wall mounting plates with full adjustment.

All hinges are the Blum "clip on type" with full three way adjustment.

Units are supplied hinged RH. or LH. When appropriate, please denote handing on order.

All standard drawer boxes are Blum Metabox Ivory Drawer Box with colour coordinated base and self closing runners.

Blumotion Tandembox full extension runners in either metallic grey or stainless steel are available at extra cost. Please refer to page 7 for prices.

All drawer boxes are factory fitted.

Glass wall units have toughened glass shelves as standard.

Orders and Deliveries

Delivery 3 to 4 weeks from confirmation of order. Orders are only accepted on our order form. Our sales office will forward a quantity of order forms on request.

On receipt of your order we will price and dispatch a confirmation to your Company with a proposed week commencing delivery date. Alterations to your order must be notified, in writing, within 3 Working Days.

If no confirmation is received within 48 hours, please contact our office.

Pricing

All prices are for cabinets only and are exclusive of VAT.

Any reference to doors or drawers is for guidance only.

Standard Products

The term standard product refers to all product detailed within this price list and supplied without any amendment or alteration. It is identified by its unique code which should be referred to at all times.

Product Variables

Due diligence has been taken in the development of our range and we believe that the vast majority of kitchen layout can be professionally designed without the use of specially constructed cabinets. Provision has been made within our computerised systems to accommodate certain modular changes into the product range. These are referred to as product variables. Their use will assist you in customising specific cabinets. The options are detailed below with the appropriate costs which should be added to the standard unit price.

Extended Gables: Price per 100 mm Extension or part thereof. £20.00

To increase the product depth by increasing the depth of the cabinet gable. This will result in an increase in the void space to the rear of the back panel. In the case of wall units no hanging brackets will be fitted. Either one or both gables may be extended. Price is for each gable.

Extended Depth: Price per 100 mm Increase in depth or part thereof.

Cabinet price + 50%

To increase the overall depth of the product. The rear void space will remain the same and the internal depth will increase in proportion.

Reduction in Cabinet Depth: Price per cabinet. Cabinet price + 50%

To reduce the overall cabinet depth. The rear void space will remain the same but internal depth will decrease in proportion. Where drawer units are concerned decreases in depth will be governed by the dimensions of available drawer mechanisms. We will be available to confirm the maximum available depth of a particular drawer box.

Decrease in Cabinet Width: Price per cabinet. Cabinet price + £30

Please note:

No variations can be made to Angled Units, L-shaped Corner Units.

All prices quoted are subject to the appropriate discount.

Special Products

You will note that the range of product variables is extensive and exclusive. Any cabinet configurations outside these parameters will be treated as a special construction and subject to individual pricing. It is strongly recommended that any such quotes are obtained well in advance of your intended installation date. **Orders for special cabinets will not be accepted for production unless accompanied by a prior authorised quotation.**




Appliance Housings













Abbeymill is committed to continual product development. We will continue to develop our range in order to offer housings that will accept the majority of commercially available appliances. Should you need to create a unique housing we will offer a universal appliance housing. This unit, which is supplied unassembled, contains the gables, top and bottom of the unit pre-drilled. In addition, there are three fixed shelves and two adjustable shelves for on site installation.












Ongoing Options










Should customers have an ongoing or prolonged need for a specific cabinet which is not our current standard product range, our sales department will be available to discuss your requirements.










STANDARD RANGE HEIGHTS










Hi-Line Base Units	Code	Unit Width	G1	Hi-Line Corner Units	Code	Unit Width	G1
 <p>Base Unit 1 x adjustable shelf Door required 1 x 715mm high</p>	B30	300	60	 <p>Corner Base Unit 1 x adjustable shelf blanking panel in MFC material Corner posts supplied Door required 1 x 715mm high</p>	CB063	600	101
	B40	400	61		CB084	800	103
	B45	450	62		CB104	1000	105
	B50	500	64		CB105	1000	105
	B60	600	69		CB106	1000	105
					CB1105	1100	107
 <p>Base Unit 1 x adjustable shelf Doors required 2 x 715mm high</p>	B70	700	72	CB1106	1100	107	
	B80	800	74	CB205	1200	109	
	B90	900	76	CB206	1200	109	
	B100	1000	78				
	B110	1100	81				
	B120	1200	83				
 <p>Sink Base Unit 1 x adjustable shelf Lowered back & vertical front rail to aid installation Door required 1 x 715mm high</p>	SB50	500	64	 <p>Sink Corner Base Unit 1 x adjustable shelf blanking panel in MFC material Lowered back to aid installation. Corner posts supplied Door required 1 x 715mm high</p>	SCB105	1000	105
	SB60	600	69		SCB106	1000	105
					SCB205	1200	109
					SCB206	1200	109
 <p>Sink Base Unit 1 x adjustable shelf Lowered back & vertical front rail to aid installation. No centre post. Doors required 2 x 715mm high</p>	SB70	700	72	 <p>Corner Base Unit No size variations available 1 x fixed shelf Doors required 2 x 715mm x 313mm to suit bi-fold hinges.</p>	CB90F	900x900	138
	SB80	800	74				
	SB90	900	76				
	SB100	1000	78				
	SB110	1100	81				
	SB120	1200	83				
 <p>Reduced Depth Base Unit 300mm deep 1 x adjustable shelf Door required 1 x 715mm high</p>	W372B	300	40	 <p>Corner Carousel Base Unit No size variations available 2 x doors 715mm high Chrome carousel trays Doors required 2 x 715mm x 313mm to suit bi-fold hinges.</p>	CB90S	900x900	259
	W472B	400	43				
	W572B	500	46				
	W672B	600	50				
 <p>Reduced Depth Base Unit 300mm deep 1 x adjustable shelf Doors required 2 x 715mm high</p>	W772B	700	55	 <p>Angled Corner Base Unit No size variations available 1 x fixed shelf Door required 1 x 715mm x 445mm</p>	CB90A	900x900	138
	W872B	800	56				
	W972B	900	57				
	W1072B	1000	58				
 <p>Belfast Sink Base Unit unit height 460mm Door required 1 x 455mm high</p>	BSB60	600	69				










Drawer Line Base Units	Code	Unit Width	G1	Drawer Line Corner Units	Code	Unit Width	G1
 <p>Drawerline Base Unit 1 x adjustable shelf Door required 1 x 570mm high Drawer front required 1 x 140mm high</p>	DB30 300 DB40 400 DB45 450 DB50 500 DB60 600	78 84 87 90 96	 <p>Drawerline Corner Base Unit 1 x adjustable shelf blanking panel in MFC material Corner posts supplied Door required 1 x 570mm high Drawer front required 1 x 140mm high</p>	DCB063 600 DCB084 800 DCB0945 900 DCB104 1000 DCB105 1000 DCB1105 1100 DCB1106 1100 DCB106 1000 DCB205 1200 DCB206 1200	124 127 128 129 131 133 133 132 135 136		
 <p>Drawerline Base Unit 1 x adjustable shelf Doors required 2 x 570mm high Drawer fronts required 2 x 140mm high</p>	DB70 700 DB80 800 DB90 900 DB100 1000 DB110 1100 DB120 1200	119 122 126 130 134 137	 <p>Drawerline Sink Corner Base Unit 1 x adjustable shelf blanking panel in MFC material Lowered back to aid installation. Door required 1 x 570mm high Drawer front required 1 x 140mm high</p>	DSCB0945 900 DSCB105 1000 DSCB106 1000 DSCB205 1200 DSCB206 1200	104 131 132 135 136		
 <p>Drawerline Sink Base Unit 1 x adjustable shelf Door required 1 x 570mm high Drawer front required 1 x 140mm high</p>	DSB50 500 DSB60 600	64 69	 <p>Drawerline Corner Base Unit No size variations available 1 x adjustable shelf Doors required 2 x 570mm x 313mm to suit bi-fold hinges. Drawer fronts required 2 x 140 x 313mm</p>	DCB90F 900x900	138		
 <p>Drawerline Sink Base Unit 140mm high 1 x adjustable shelf Lowered back & vertical front rail to aid installation. No centre post. Doors required 2 x 570mm high Drawer fronts required 2 x 140mm high</p>	DSB70 700 DSB80 800 DSB90 900 DSB100 1000 DSB110 1100 DSB120 1200	72 74 76 78 81 83	 <p>Drawerline Corner Carousel Base Unit No size variations available Chrome carousel trays Doors required 2 x 570mm x 313mm to suit bi-fold hinges. Drawer fronts required 2 x 140 x 313mm</p>	DCB90S 900x900	259		
 <p>Drawerline Reduced Depth Base Unit 300mm deep 1 x adjustable shelf Door required 1 x 570mm high Drawer front required 1 x 140mm high</p>	N372DB 300 N472DB 400 N572DB 500 N672DB 600	62 66 71 76	 <p>Drawerline Angled Corner Base Unit No size variations available 1 x adjustable shelf Door required 1 x 570mm x 445mm Drawer front required 1 x 140 x 445mm</p>	DCB90A 900x900	138		
 <p>Drawerline Reduced Depth Base Unit 300mm deep 1 x adjustable shelf Doors required 2 x 570mm high Drawer fronts required 2 x 140mm high</p>	N772DB 700 N872DB 800 N972DB 900 N1072DB 1000	100 102 105 108					






Base Units			Code	Unit Width	G1				Code	Unit Width	G1
	Base Unit Towel/Tray Space please specify width min. 150mm	TS300F	300	54		'S' Shaped Door Unit No size variations available Doors required 2 x 'S' shaped doors 715mm high	B120S	1200	145		
	Angled Base Unit FHD No size variations available Please specify which side reduced. B30A angle approx 18deg Door required 1 x 715 x 295mm B40A angle approx 27deg Door required 1 x 715 x 395mm B50A angle approx 22.5deg Door required 1 x 715 x 495mm	B30A	300	85		Curved Door Unit No size variations available Cabinet 430 x 410 Radius at front edge 357mm Door required 1 x curved door 715mm high	CVB472	430	112		
	Angled Base Unit Drawerline No size variations available Please specify which side reduced. DB30A angle approx 18deg Door required 1 x 570 x 295mm Drawer front required 1 x 140 x 295mm DB40A angle approx 27deg Door required 1 x 570 x 395mm Drawer front required 1 x 140 x 395mm DB50A angle approx 22.5deg Door required 1 x 570 x 495mm Drawer front required 1 x 140 x 495mm	DB30A	300	85		Pull Out Unit - Soft Close Chrome pull out fitted Please specify handing of pull out Door required 1 x 715 high	B150P B300P	150 300	130 160		
		DB40A	370	88		Wine Rack - Wire Insert No size variations available 300mm deep MFC material	BWR150 BWR300	150 300	100 150		
		DB50A	467	96		Turnmotion Corner Base Unit to accept turnmotion rotating corner system. (Not included) NB: Turnmotion assembly must be fitted prior to worktops.	CB90TM	900 X 900	138		
						Base Open End Shelves MFC material	ESB372	300	89		










Drawer Packs/Pan Drawers	Code	Unit Width	G1	Oven /Microwave Housings	Code	Unit Width	G1
 <p>Base Unit with Drawers Drawer fronts required 5 x 140mm high</p>	<p>MDB35 300 MDB45 400 MDB455 450 MDB55 500 MDB65 600</p>	<p>162 172 176 186 192</p>	 <p>Dropped Pan Drawer Base Unit Height 575mm Drawer fronts required 2 x 283mm high</p>	<p>MDB102D 1000</p>	<p>193</p>		
 <p>Base Unit with Pan Drawers Drawer fronts required 1 x 140mm high 2 x 283mm high</p>	<p>MDB43 400 MDB53 500 MDB63 600 MDB83 800 MDB103 1000</p>	<p>140 148 152 233 245</p>	 <p>Built Under Oven Housing 600mm aperture Drawer fronts required 1 x 115mm high As above but with working drawer instead of filler panel</p>	<p>BUO60 600 BUO60D 600</p>	<p>70 97</p>		
 <p>Base Unit with Drawers Drawer fronts required 4 x 175mm high</p>	<p>MDB54 500 MDB64 600</p>	<p>160 165</p>	 <p>Built Under Microwave Housing 435mm aperture Drawer fronts required 1 x 283mm high</p>	<p>BUMO60 600</p>	<p>104</p>		
 <p>Base Unit with Pan Drawer Drawer fronts required 3x 140mm high 1 x 283mm high</p>	<p>MDB44P 400 MDB54P 500 MDB64P 600</p>	<p>156 167 172</p>					
 <p>Base Unit with Pan Drawers Drawer fronts required 2 x 355mm high</p>	<p>MDB62 600 MDB82 800 MDB102 1000</p>	<p>161 185 193</p>	<p>Notes for Full Height and Drawerline Base Units All dimensions are in mm. Standard depth is 560mm with a 52mm void. Base units have one adjustable shelf. All drawerline sink base units are manufactured to take dummy drawers. Sink Base Units have reduced height back panel and, where practical, vertical front rails. Blum Ivory Metabox drawer box is supplied as standard. Blumotion Tandembox full extension drawers are available at extra cost. Please refer to page 7. Blumotion door pistons are available as an option. See page 20</p>				
 <p>Base Unit with Pan Drawers Drawer fronts required 2 x 140mm high (half width) 2 x 283mm high</p>	<p>MDB84 800 MDB104 1000</p>	<p>244 256</p>					









Drawer Assemblies				Peninsular Base Units																				
Code	Unit Width	G1		Code	Unit Width	G1																		
Drawer Supplement to be added to the unit cost for Blumotion Tandembox Full Extension Runners <p style="text-align: right;">Supplements are per drawer</p> <table border="1"> <thead> <tr> <th></th> <th></th> <th>Grey</th> <th>S/S</th> </tr> </thead> <tbody> <tr> <td>Medium Height Drawers</td> <td>(140 mm & 175 mm Drawer Fronts)</td> <td>26</td> <td>42</td> </tr> <tr> <td>High Drawers</td> <td>(283 mm & 355 mm Drawer Fronts)</td> <td>44</td> <td>64</td> </tr> <tr> <td>Dresser Drawers</td> <td>(140 mm & 175 mm Drawer Fronts)</td> <td>24</td> <td>36</td> </tr> </tbody> </table> <p>Prices for <i>additional</i> Metabox and Tandembox drawer assemblies are detailed below.</p>						Grey	S/S	Medium Height Drawers	(140 mm & 175 mm Drawer Fronts)	26	42	High Drawers	(283 mm & 355 mm Drawer Fronts)	44	64	Dresser Drawers	(140 mm & 175 mm Drawer Fronts)	24	36	 <p>Peninsular Base Unit 1 x adjustable shelf Doors required 2 x 715mm high</p>			PB40 400 PB45 450 PB50 500 PB60 600	71 72 73 76
		Grey	S/S																					
Medium Height Drawers	(140 mm & 175 mm Drawer Fronts)	26	42																					
High Drawers	(283 mm & 355 mm Drawer Fronts)	44	64																					
Dresser Drawers	(140 mm & 175 mm Drawer Fronts)	24	36																					
Extra Metabox Drawers Ivory with co-ordinated base and back To suit 140mm & 175mm high drawer fronts 450mm runners				MTBS3 300 MTSB4 400 MTBS45 450 MTBS5 500 MTBS6 600	25 26 27 28 29	85 86 89																		
Extra Metabox Pan Storage Drawers Ivory with co-ordinated base and back To suit 283mm & 355mm high drawer fronts 450mm runners				MTBPS4 400 MTBPS45 450 MTBPS5 500 MTBPS6 600 MTBPS8 800 MTBPS10 1000	33 36 37 41 59 63	84 87 90 96																		
Extra Metabox Reduced Depth Drawers Ivory with co-ordinated base and back To suit 140mm & 175mm high drawer fronts 270mm runners				MTBDR3 300 MTBDR4 400 MTBDR45 450 MTBDR5 500 MTBDR6 600	24 26 27 28 30	122 126 130																		
Extra TandemBox Full Extension Drawers Standard Height Grey MFC base and back To suit 140mm & 175mm high drawer fronts				TDBS3 300 TDBS4 400 TDBS45 450 TDBS5 500 TDBS6 600	Grey 51 52 53 54 55	S/S 67 68 69 70 71																		
Extra TandemBox Full Extension Drawers Standard Height + Side Extensions Complete with gallery rails Grey MFC base and back To suit 283mm & 355mm high drawer fronts				TDBPS4 400 TDBPS45 450 TDBPS5 500 TDBPS6 600 TDBPS8 800 TDBPS10 1000	77 80 81 85 103 107	97 100 101 105 123 127																		
Extra TandemBox Full Extension Drawers Standard Height 270mm Long Grey MFC base and back To suit 140mm & 175mm high drawer fronts				TDBDR3 300 TDBDR4 400 TDBDR45 450 TDBDR5 500 TDBDR6 600	48 50 51 52 54	60 62 63 64 66																		
<p>Notes for Peninsular Base Units Hinging is as shown. On single door peninsular units hinges are factory fitted same hand each side. Blum Ivory Metabox drawer box is supplied as standard. Blumotion Tandembox full extension drawers are available at extra cost. Please refer to page 7. Blumotion door pistons are available as an option. See page 20</p>																								










Bridging Units 290 High			Bridging Units 360 High				
			Code	Unit Width	G1		
	Bridging Unit 290 mm Spung top hinges supplied Door required 1 x 283mm high	WB529 500 WB629 600	40 42		Bridging Unit 360 mm Spung top hinges supplied Door required 1 x 355mm high	WB536 500 WB636 600	41 43
	Bridging Unit 290 mm Spung top hinges supplied Doors required 1 x 283mm high	WB1029 1000	50		Bridging Unit 360 mm Spung top hinges supplied Doors required 2 x 355mm high	WB1036 1000	56
	Open Bridging Unit 290 mm MFC material	OW529 500 OW629 600 OW1029 1000	40 42 50		Open Bridging Unit 360 mm MFC material	OW536 500 OW636 600 OW1036 1000	43 45 59
<div style="border: 1px solid black; padding: 10px;"> <p>Notes for 290-360 High Bridging Units Standard depth is 300mm with a 18mm void. All dimensions are in millimetres. Open wall units not supplied with wall hanging brackets. All bridging units are top hinged. Blumotion door pistons are available as an option. See page 20</p> </div>							








Wall Units 575 High	Code	Unit Width	G1	Glass Wall Units 575 High	Code	Unit Width	G1
 <p>Wall Unit 575 mm 1 x adjustable shelf Door required 1 x 570mm high</p>	<p>W357 300 W457 400 W4557 450 W557 500 W657 600</p>	<p>42 44 45 47 50</p>	 <p>Glass Wall Unit 575 mm includes 1 x adjustable glass shelf Door required 1 x 570mm high</p>	<p>GW557 500 GW657 600</p>	<p>58 66</p>		
 <p>Wall Unit 575 mm 1 x adjustable shelf Doors required 2 x 570mm high</p>	<p>W757 700 W857 800 W957 900 W1057 1000 W1257 1200</p>	<p>51 51 54 57 63</p>	 <p>Glass Wall Unit 575 mm includes 1 x adjustable glass shelf Doors required 2 x 570mm high</p>	<p>GW1057 1000</p>	<p>79</p>		
 <p>Corner Wall Unit 575 mm 1 x adjustable shelf 1 x blank side Door required 1 x 570mm high Please note: 320mm return on this unit All sizes have 300mm blank panel in MFC material</p>	<p>CW6573C 600 CW7574C 700 CW75745C 700 CW8575C 800 CW9576C 900</p>	<p>52 58 58 61 64</p>	 <p>Peninsular Glass Wall Unit 575 mm includes 1 x adjustable glass shelf Doors required 2 x 570mm high</p>	<p>PGW557 500 PGW657 600</p>	<p>65 87</p>		
 <p>Angled Corner Wall Unit 575 mm 1 x adjustable shelf Door required 1 x 570 x 396mm</p>	<p>CW657A 600</p>	<p>71</p>	 <p>Peninsular Glass Wall Unit 575 mm includes 1 x adjustable glass shelf Doors required 4 x 570mm high</p>	<p>PGW1057 1000</p>	<p>90</p>		
 <p>Corner Wall Unit 575 mm 1 x adjustable shelf Door required 2 x 570 x 273mm to suit bi-fold hinges</p>	<p>CW657P 600</p>	<p>71</p>	<p>Additional 6mm Toughened Glass Shelves Please refer to page 20</p> <p>Blumotion door pistons are available as an option. See page 20</p>				








Open Wall Units 575 High	Code	Unit Width	G1	Dresser Units <i>(to suit Wall Units 575 High)</i>	Code	Unit Width	G1
 <p>Open Wall Unit 575 mm MFC material</p>	<p>OW357 300 OW457 400 OW557 500 OW657 600 OW757 700 OW857 800 OW957 900 OW1057 1000</p>	<p>41 43 46 49 50 50 53 56</p>	 <p>Dresser Unit 1065 mm includes 2 x adjustable glass shelves Doors required 1 x 720mm high Drawer fronts required 1 x 175mm high + 1 x 140mm high</p>	<p>WDU557 500 WDU657 600</p>	<p>157 167</p>		
 <p>Wall Open End Shelves 575 mm MFC material</p>	<p>ESW357 300</p>	<p>74</p>	 <p>Dresser Open End Shelves 1065 mm MFC material</p>	<p>ESD310 300</p>	<p>106</p>		
 <p>Wall Wine Rack - Wire Insert No size variations available 575 mm high MFC material</p>	<p>WWR1557 150 WWR357 300</p>	<p>73 97</p>					
<p>Notes for 575 High Wall Units Standard depth is 300mm with a 18mm void. All dimensions are in millimetres. 575 high wall units have 1 adjustable shelf. Open wall units not supplied with wall hanging brackets. Open wall units have fixed shelves.</p>			<p>Notes on Dresser Units Standard depth is 300mm with a 18mm void. All dimensions are in millimetres. Dresser units have 2 adjustable toughened glass shelves. Blum Metabox drawers are supplied as standard. Blumotion Tandembox full extension drawers are available at extra cost. Please refer to page 7. Blumotion door pistons are available as an option. See page 20</p> <p>Additional 6mm Toughened Glass Shelves Please refer to page 20</p>				












Wall Units 720 High	Code	Unit Width	G1	Glass Wall Units 720 High	Code	Unit Width	G1
 <p>Wall Unit 720 mm 2 x adjustable shelves Door required 1 x 715mm high</p>	<p>W372 300 W472 400 W4572 450 W572 500 W672 600</p>	<p>47 49 51 56 58</p>	 <p>Glass Wall Unit 720 mm includes 2 x adjustable glass shelves Door required 1 x 715mm high</p>	<p>GW472 400 GW572 500 GW672 600</p>	<p>81 83 94</p>		
 <p>Wall Unit 720 mm 2 x adjustable shelves Doors required 2 x 715mm high</p>	<p>W772 700 W872 800 W972 900 W1072 1000 W1272 1200</p>	<p>63 63 66 69 75</p>	 <p>Glass Wall Unit 720 mm includes 2 x adjustable glass shelves Doors required 2 x 715mm high</p>	<p>GW872 800 GW1072 1000</p>	<p>102 110</p>		
 <p>Corner Wall Unit 720 mm 2 x adjustable shelves 1 x blank side Door required 1 x 715mm high</p> <p>Please note: 320mm return on this unit All sizes have 300mm blank panel in MFC material</p>	<p>CW6723C 600 CW7724C 700 CW77245C 700 CW8725C 800 CW9726C 900</p>	<p>61 71 70 72 74</p>	 <p>Peninsular Glass Wall Unit 720 mm includes 2 x adjustable glass shelves Doors required 2 x 715mm high</p>	<p>PGW472 400 PGW572 500 PGW672 600</p>	<p>84 89 95</p>		
 <p>Angled Corner Wall Unit 720 mm 2 x adjustable shelves Door required 1 x 715 x 396mm</p>	<p>CW672A 600</p>	<p>86</p>	 <p>Peninsular Glass Wall Unit 720 mm includes 2 x adjustable glass shelves Doors required 4 x 715mm high</p>	<p>PGW872 800 PGW1072 1000</p>	<p>113 119</p>		
 <p>Corner Wall Unit 720 mm 2 x adjustable shelf Door required 2 x 715 x 273mm to suit bi-fold hinges</p>	<p>CW672P 600</p>	<p>86</p>	<p>Additional 6mm Toughened Glass Shelves Please refer to page 20</p> <p>Blumotion door pistons are available as an option. See page 20</p>				

Open Wall Units 720High	Code	Unit Width	G1	Dresser Units (to suit Wall Units 720mm High)	Code	Unit Width	G1
 <p>Open Wall Unit 720 mm MFC material</p>	<p>OW372 300 OW472 400 OW572 500 OW672 600 OW772 700 OW872 800 OW972 900 OW1072 1000</p>	<p>46 48 55 57 62 62 65 68</p>	 <p>Dresser Unit 1210 mm Includes 2 x adjustable glass shelves Door required 1 x 895mm high Drawer fronts required 2 x 140 mm high</p>	<p>WDU572 500 WDU672 600</p>	<p>169 179</p>		
 <p>Wall Open End Shelves 720 mm MFC material</p>	<p>ESW372 300</p>	<p>74</p>	 <p>Dresser Open End Shelves 1210 mm MFC material</p>	<p>ESD372 300</p>	<p>114</p>		
 <p>Wall Wine Rack - Wire Insert No size variations available 720 mm MFC material</p>	<p>WWR1572 150 WWR372 300</p>	<p>100 150</p>	 <p>Wall Microwave Housing 720 mm Aperture size >365mm to suit 382mm frame WMA_72 - 300mm Deep WMB_72 - 320mm Deep MFC material Door required 1 x 283mm high + infill (not supplied)</p>	<p>WMA572 500 WMA672 600 WMB572 500 WMB672 600</p>	<p>85 90 105 110</p>		
 <p>Angled Wall Unit No size variations available 720 mm Hinged from shallow side</p> <p>W372A angle approx 18deg Door required 1 x 715 x 295mm</p> <p>W472A angle approx 27deg Door required 1 x 715 x 395mm</p> <p>W572A angle approx 22.5deg Door required 1 x 715 x 495mm</p>	<p>W372A 300 W472A 370 W572A 467</p>	<p>76 80 88</p>	 <p>Turnmotion Corner Wall Unit special height 822mm (720 internal) to accept turnmotion assembly (not supplied) MFC material</p> <p>Turnmotion Corner Dresser special height 1261mm (1159 internal) to accept turnmotion assembly (not supplied) MFC material</p>	<p>CW672TM 600 x 600 CD672TM 600 x 600</p>	<p>97 149</p>		
<p>Notes for 720 High Wall Units Standard depth is 300mm with a 18mm void. All dimensions are in millimetres. 720 high wall units have 2 adjustable shelves. Open wall units not supplied with wall hanging brackets. Open wall units have fixed shelves. Blumotion door pistons are available as an option. See page 20</p>				<p>Notes for 720 High Dresser Units Dresser units have 2 adjustable toughened glass shelves. Blum Metabox drawers are supplied as standard. Blumotion Tandembox full extension drawers are available at extra cost. Please refer to page 7. Additional 6mm Toughened Glass Shelves Please refer to page 20 Blumotion door pistons are available as an option. See page 20</p>			











Wall Units 900 High	Code	Unit Width	G1	Glass Wall Units 900 High	Code	Unit Width	G1
 <p>Tall Wall Unit 900 mm 2 x adjustable shelves Door required 1 x 895mm high</p>	<p>W390 300 W490 400 W590 500 W690 600</p>	<p>55 59 63 67</p>	 <p>Tall Glass Wall Unit 900 mm includes 2 x adjustable glass shelves Door required 1 x 895mm high</p>	<p>GW590 500 GW690 600</p>	<p>97 103</p>		
 <p>Tall Wall Unit 900 mm 2 x adjustable shelves Doors required 2 x 895mm high</p>	<p>W790 700 W890 800 W990 900 W1090 1000</p>	<p>75 76 79 83</p>	 <p>Tall Glass Wall Unit 900 mm includes 2 x adjustable glass shelves Doors required 2 x 895mm high</p>	<p>GW1090 1000</p>	<p>127</p>		
 <p>Corner Wall Unit 900 mm 2 x adjustable shelves 1 x blank side Door required 1 x 895mm high Please note: 320mm return on this unit All sizes have 300mm blank panel in MFC material</p>	<p>CW693C 600 CW794C 700 CW7945C 700 CW895C 800 CW996C 900</p>	<p>80 88 88 89 92</p>	 <p>Tall Peninsular Glass Wall Unit 900 mm includes 2 x adjustable glass shelves Doors required 2 x 895mm high</p>	<p>PGW590 500 PGW690 600</p>	<p>106 112</p>		
 <p>Tall Angled Corner Wall Unit 900 mm 2 x adjustable shelves Door required 1 x 895 x 396mm</p>	<p>CW690A 600</p>	<p>98</p>	 <p>Tall Peninsular Glass Wall Unit 900 mm includes 2 x adjustable glass shelves Doors required 4 x 895mm high</p>	<p>PGW1090 1000</p>	<p>144</p>		
 <p>Tall Corner Wall Unit 900 mm 2 x adjustable shelves Door required 2 x 895 x 273mm to suit bi-fold hinges</p>	<p>CW690P 600</p>	<p>98</p>	<p>Additional 6mm Toughened Glass Shelves Please refer to page 20</p> <p>Blumotion door pistons are available as an option. See page 20</p>				











Open Wall Units 900 High	Code	Unit Width	G1	Dresser Units <i>(to suit Wall Units 900 High)</i>	Code	Unit Width	G1
 <p>Open Wall Unit 900 mm MFC material</p>	OW390 OW490 OW590 OW690 OW790 OW890 OW990 OW1090	300 400 500 600 700 800 900 1000	58 62 66 70 76 80 85 87	 <p>Dresser Unit 1390 mm includes 2 x adjustable glass shelves Door required 1 x 895mm high Drawer fronts required 2 x 140mm high 1 x 175mm high</p>	WDU590 WDU690	500 600	207 218
 <p>Wall Open End Shelves 900 mm MFC material</p>	ESW390	300	89	 <p>Dresser Open End Shelves 1390 mm MFC material</p>	ESD390	300	122
 <p>Wall Wine Rack - Wire Insert No size variations available 900 mm MFC material</p>	WWR1590 WWR390	150 300	130 170	 <p>Turnmotion Corner Wall Unit special height 1002mm (900internal) to accept turnmotion assembly (not supplied) MFC material</p>	CW690TM	600 x 600	109
 <p>Angled Wall Unit No size variations available 900mm Hinged from shallow side</p> <p>W390A angle approx 18deg Door required 1 x 895 x 295mm</p> <p>W490A angle approx 27deg Door required 1 x 895 x 395mm</p> <p>W590A angle approx 22.5deg Door required 1 x 895 x 495mm</p>	W390A W490A W590A	300 370 467	83 90 95	<p>Notes for 900 High Dresser Units Dresser units have 2 adjustable toughened glass shelves. Blum Metabox drawers are supplied as standard. Blumotion Tandembox full extension drawers are available at extra cost. Please refer to page 7. Blumotion door pistons are available as an option. See page 20</p> <p>Additional 6mm Toughened Glass Shelves Please refer to page 20</p>			


Midi Tall Units 1250 High (excluding legs)	Code	Unit Width	G1		Code	Unit Width	G1
 <p>Universal Midi Housing 1 x loose shelf 1 x shelf for fixing Drilled top & bottom only Supplied with 2 x 100° Hinges, backplates and buffers. Full height back panel</p>	OH614U	600	118	 <p>Midi Pull Out Larder Unit Chrome pull-out 6 baskets Supplied fitted Door required 1 x 1245 x 296mm</p>	L314P	300	284
 <p>Midi Oven Housing 580 mm Aperture 1 x adjustable shelf Doors required 1 x 570 x 595mm 1 x filler x 595mm wide</p>	OH61460	600	110	 <p>Midi Angled Larder Unit No size variations available 3 adjustable shelves</p> <p>L314A angle approx 18deg Door required 1 x 1245 x 296mm</p> <p>L414A angle approx 27deg Door required 1 x 1245 x 396mm</p> <p>L514A angle approx 22.5deg Door required 1 x 1245 x 496mm</p>	L314A	300	154
 <p>Midi Appliance Housing 880 mm Aperture Doors required 1 x 283 x 595mm 1 x 895 x 595mm appliance door 1 x filler x 595mm wide</p>	FF61490	600	144		L414A	370	158
 <p>Midi Larder Unit 2 x adjustable shelves Doors required 1 x 1245mm high</p>	L314	300	100	 <p>Midi Open End Shelves MFC material</p>	ESM314	300	128
	L414	400	102	<p>Notes for Midi Units, Midi Oven and Fridge Housings Standard depth is 560mm with a 52mm void. All dimensions are in millimetres. Fillers for oven housings are supplied in MFC material. Blumotion door pistons are available as an option. See page 20 Worktop is required above all midi units.</p>			
	L514	500	104				
	L614	600	106				


Appliance Housings 1825 High (excluding legs - to suit 575 High Wall Units)				Appliance Housings 1825 High (excluding legs - to suit 575 High Wall Units)			
	Code	Unit Width	G1		Code	Unit Width	G1
 <p>Universal Oven Housing 2 x loose shelves 2 x shelves for fixing drilled top & bottom only Supplied with 4 x 100° hinges backplates and buffers Supplied with full back panel</p>	OH619U	600	132	 <p>Tall Fridge/Freezer Housing 1223mm aperture 1 x adjustable shelf Doors required 1 x 570 x 595mm 1 x 1245 x 595mm appliance door</p>	FF61912	600	115
 <p>Tall Oven Housing 580mm aperture 2 x adjustable shelves Doors required 1 x 495 x 595mm 1 x 715 x 595mm</p>	OH61906	600	120	 <p>Tall Fridge.Freezer Housing 885mm + 885mm apertures 1 x infill panel Doors required 2 x 895 x 595mm appliance doors</p>	FF6198	600	120
 <p>Tall Oven Housing 880mm aperture 1 x adjustable shelf Doors required 1 x 355 x 595mm top hung 1 x 570 x 585mm</p>	OH61909	600	119	 <p>Larder Unit 1 fixed shelf - 3 adjustable shelves Fixed shelf at 1252.5mm high. Broom Unit - Prefix the larder code with B (example BL523) Fixed shelf at 1530mm high. Doors required 1 x 570mm high 1 x 1245mm high</p>	L319 L419 L519 L619	300 400 500 600	112 113 114 115
 <p>Tall Oven Housing 880mm aperture Doors required 1 x 355 x 595mm top hung 2 x 283 x 595mm</p>	OH61909D	600	188	 <p>Pull Out Larder Unit</p>	L319P L519P	300 500	347 407
 <p>Tall Fridge Housing 1200 aperture 1 x infill panel MFC Doors required 1 x 283 x 595mm top hung 1 x 1245 x 595mm appliance door 1 x 283 x 595mm drawer front</p>	FF61912D	600	149	 <p>Tall Angled Larder Unit No size variations available 1 fixed shelf - 3 adjustable shelves Fixed shelf at 1252.5mm high. L319A angle approx 18deg Doors required 1 x 570 x 296mm 1 x 1245 x 296mm L419A angle approx 27deg Doors required 1 x 570 x 396mm 1 x 1245 x 396mm L519A angle approx 22.5deg Doors required 1 x 570 x 496mm 1 x 1245 x 496mm</p>	L319A L419A L519A	300 370 467	172 176 181
				 <p>Tall Open End Shelves 1825 mm MFC material</p>	EST319	300	172

Fillers for oven housings are supplied in MFC material.

Appliance Housings 1970 High <i>(excluding legs to suit 720 High Wall Units)</i>	Code	Unit Width	G1	Appliance Housings 1970 High <i>(excluding legs - to suit 720 High Wall Units)</i>	Code	Unit Width	G1
 <p>Universal Oven Housing 2 x loose shelves 3 x shelves for fixing drilled top & bottom only <i>Supplied with 4 x 100° hinges, backplates and buffers</i> Supplied with full back panel</p>	OH621U	600	136	 <p>Tall Fridge/Freezer Housing 1223mm aperture 1 x adjustable shelf <i>Doors required</i> 1 x 715 x 595mm 1 x 1245 x 595mm appliance door</p>	FF62112	600	118
 <p>Tall Oven Housing 580mm aperture 2 x adjustable shelves <i>Doors required</i> 1 x 570 x 595mm 1 x 715 x 595mm 1 x 115 x 595mm infill panel</p>	OH62106	600	124	 <p>Tall Fridge/Freezer Housing 880mm + 880mm apertures <i>Doors required</i> 2 x 895 x 595mm appliance doors 1 x 175 x 595mm infill</p>	FF6218	600	124
 <p>Tall Oven Housing 880mm aperture 1 x adjustable shelf <i>Doors required</i> 1 x 495 x 595mm 1 x 570 x 595mm</p>	OH62109	600	124	 <p>Larder Unit 1 fixed shelf - 3 adjustable shelves Fixed shelf at 1252.5mm high. Broom Unit - Prefix the larder code with B (example BL523) Fixed shelf at 1530mm high. <i>Doors required</i> 1 x 715mm high 1 x 1245mm high</p> <p>Pull Out Larder Unit</p>	L321 L421 L521 L621	300 400 500 600	115 116 117 118
 <p>Tall Oven Housing 880 aperture <i>Doors required</i> 1 x 495 x 595mm 2 x 283 x 595mm</p>	OH62109D	600	193	 <p>Tall Angled Larder Unit No size variations available 1 fixed shelf - 3 adjustable shelves Fixed shelf at 1252.5mm high. L321A angle approx 18deg <i>Doors required</i> 1 x 715 x 296mm 1 x 1245 x 296mm L421A angle approx 27deg <i>Doors required</i> 1 x 715 x 396mm 1 x 1245 x 396mm L521A angle approx 22.5deg <i>Doors required</i> 1 x 715 x 496mm 1 x 1245 x 496mm</p>	L321A L421A L521A	300 370 467	182 186 191
 <p>Tall Microwave/Oven Housing 1086mm overall aperture 1 x adjustable shelf Central appliance shelf supplied loose <i>Doors required</i> 1 x 283 x 595mm top hung 1 x 570 x 595mm 1 x 115 x 595mm infill</p>	OM62146	600	130	 <p>Tall Open End Shelves 1970mm high MFC material</p>	EST321	300	185

Appliance Housings 2150 High (excluding legs to suit 900 High Wall Units)				Appliance Housings 2150 High (excluding legs to suit 900 High Wall Units)			
	Code	Unit Width	G1		Code	Unit Width	G1
 <p>Universal Oven Housing 2 x loose shelves 3 x shelves for fixing drilled top & bottom only Supplied with 4 x 100° hinges backplates and buffers Supplied with full back panel</p>	OH623U	600	164	 <p>Tall Fridge/Freezer Housing 1223mm aperture 2 x adjustable shelves Doors required 1 x 895 x 595mm 1 x 1245 x 595mm appliance door</p>	FF62312	600	184
 <p>Tall Oven Housing 580mm aperture 2 x adjustable shelves Doors required 2 x 715 x 595mm 1 x 115 x 595mm infill</p>	OH62306	600	150	 <p>Tall Fridge/Freezer Housing 880mm + 880mm apertures Doors required 1 x 355 x 595mm top hung 2 x 895 x 595mm appliance doors</p>	FF6238	600	150
 <p>Tall Oven Housing 880mm aperture 2 x adjustable shelves Doors required 2 x 570 x 595mm 1 x 115 x 595mm infill</p>	OH62309	600	150	 <p>Larder Unit 1 fixed shelf - 3 adjustable shelves Fixed shelf at 1252.5mm high. Broom Unit - Prefix the larder code with B (example BL523) Fixed shelf at 1530mm high. Doors required 1 x 895mm high 1 x 1245mm high</p> <p>Pull Out Larder Unit</p>	L323 L423 L523 L623	300 400 500 600	139 140 142 143
 <p>Tall Oven Housing 880 aperture 1 x adjustable shelf Doors required 1 x 570 x 595mm 2 x 283 x 595mm 1 x 115 x 595mm infill</p>	OH62309D	600	219	 <p>Tall Angled Larder Unit No size variations available 1 fixed shelf - 3 adjustable shelves Fixed shelf at 1252.5mm high. L323A angle approx 18deg Doors required 1 x 895 x 296mm 1 x 1245 x 296mm</p> <p>L423A angle approx 27deg Doors required 1 x 895 x 396mm 1 x 1245 x 396mm</p> <p>L523A angle approx 22.5deg Doors required 1 x 895 x 496mm 1 x 1245 x 496mm</p>	L323A L423A L523A	300 370 467	209 214 219
 <p>Tall Microwave/Oven Housing 1075mm overall aperture 2 x adjustable shelves 1 x appliance shelf supplied loose Doors required 1 x 570 x 595mm 1 x 495 x 595mm</p>	OM62346	600	150	 <p>Tall Open End Shelves 2150mm MFC material</p>	EST323	300	207

M.F.C. Accessories	Dimensions			Cabinet components	Maximum Dimensions		
Continuous Plinth 2.6 Mtr length <i>Available in all cabinet colours</i> <i>Edged one long edges</i>	CP250	2600 x 150	19	Cut Board 18 mm M.F.C. cut to size Edged two long edges Price per Square Metre Dimensions shown are for maximum board sizes. Please note: Grain runs parallel to first dimension.	CMFC	2600 x 2000	44
Worktop End Support <i>Available in all cabinet colours</i>	WTESP	900 x 600	23	Adjustable Shelf Supports Chromed Metal	SS10	pack of 5	1.00
Base, Wall and Tall Fillers <i>Available in all cabinet colours</i>	MWF	720 x 100	10	PVC Edging Tape 22mm <i>not pre-glued</i>	ET22	per Metre	0.50
Additional Base Shelves <i>Available in all cabinet colours</i> <i>Edged all round</i> <i>Shelf supports not included</i>	BS3	300	7	Clip Hinges Complete with hinge plates 100° hinge	HN100		2.20
	BS4	400	9	170° hinge	HN170		4.50
	BS45	450	10	95° blindcorner hinge	HNBC		3.42
	BS5	500	12	60° bi-fold hinge for 90°corner	HNBF		3.50
	BS6	600	13	45° hinge	HN45		2.60
	BS7	700	15	Blumotion Door Pistons Complete with screw on Back-plates	DPBP		2.60
	BS8	800	16	Piston only (for insertion into cabinet edge)	DPA		2.40
	BS9	900	17	Cutlery Inserts Ivory to suit Blum Metabox  Metallic Grey to suit Blum Tandembox	CT30M	300	10
	BS10	1000	19		CT40M	400	11
	BS11	1100	20		CT45M	450	12
	BS12	1200	21		CT50M	500	13
	Additional Wall Shelves <i>Available in all cabinet colours</i> <i>Edged all round</i> <i>Shelf supports not included</i>	WS3	300		5	CT60M	600
WS4		400	6		CT40T	400	11
WS5		500	8	CT45T	450	12	
WS6		600	9	CT50T	500	13	
WS7		700	10	CT60T	600	14	
WS8		800	11	CT80T	800	16	
Additional Glass Wall Shelves <i>6mm Toughened glass</i> <i>Available in standard sizes only</i> <i>Shelf supports not included</i>	WS9	900	12	CT100T	1000	18	
	WS10	1000	13				
	WS11	1100	14				
	WS12	1200	15				
	GS400	400	16				
GS500	500	17					
GS600	600	18					
GS800	800	20					
GS1000	1000	22					



Abbeymill

Manufacturers of Quality Fitted Furniture

Bedroom Cabinet Price Guide

Manufacturing Details

All cabinets are manufactured from 18mm thick high density Melamine Faced Chipboard. Back panels are rebated and produced in 8mm MFC. Units are produced using computer controlled machinery to give a consistently accurate build quality which is recognised within the industry.

All Boards used are colour co-ordinated on both sides, thus eliminating the requirement for end finishes and providing a product coloured inside and out.

All exposed edges are finished to match the cabinets using PVC edging where matches are available.

All cabinets are manufactured rigid with traditional "Dowels and Glue" construction. However, tall robes use Cam/Lock fixings to aid access to upper floors and to aid manufacture.

Chests and cabinets have extended gables and an integral 100mm plinth.

Colour co-ordinated MFC plinths are supplied in 2600mm lengths.

Chests and cabinets are 480mm Deep

Bridge cupboards are available either 580mm or 480mm Deep (excluding doors).

All hinges are the Blum "clip on type" with full three way adjustment.

Units are supplied hinged RH. or LH. When appropriate, please denote handing on order.

All standard drawer boxes are Blum Metabox Ivory Drawer Box with colour coordinated base and self closing runners.

All drawer boxes are factory fitted.

Orders and Deliveries

Delivery 3 to 4 weeks from confirmation of order. Orders are only accepted on our order form. Our sales office will forward a quantity of order forms on request.

On receipt of your order we will price and dispatch a confirmation to your Company with a proposed week commencing delivery date. Alterations to your order must be notified, in writing, within 3 Working Days.

If no confirmation is received within 48 hours, please contact our office.

Pricing

All prices are for cabinets only and are exclusive of VAT.

Any reference to doors or drawers is for guidance only.

Standard Products

The term standard product refers to all product detailed within this price list and supplied without any amendment or alteration. It is identified by its unique code which should be referred to at all times.

Product Variables

Due diligence has been taken in the development of our range and we believe that the vast majority of bedroom layouts can be professionally designed without the use of specially constructed cabinets. Provision has been made within our computerised systems to accommodate certain modular changes into the product range. These are referred to as product variables. Their use will assist you in customising specific cabinets. The options are detailed below with the appropriate costs which should be added to the standard unit price.

Extended Gables: Price per 100 mm Extension or part thereof.

£20.00

To increase the product depth by increasing the depth of the cabinet gable. This will result in an increase in the void space to the rear of the back panel. In the case of wall units no hanging brackets will be fitted. Either one or both gables may be extended. Price is for each gable.

Extended Depth: Price per 100 mm Increase in depth or part thereof.

Cabinet price + 50%

To increase the overall depth of the product. The rear void space will remain the same and the internal depth will increase in proportion.

Reduction in Cabinet Depth: Price per cabinet.

Cabinet price + 50%

To reduce the overall cabinet depth. The rear void space will remain the same but internal depth will decrease in proportion. Where drawer units are concerned decreases in depth will be governed by the dimensions of available drawer mechanisms. We will be available to confirm the maximum available depth of a particular drawer box.

Decrease in Cabinet Width: Price per cabinet.

Cabinet price + £30

Please note:

No variations can be made to Angled Units





All prices quoted are subject to the appropriate discount.





Special Products




You will note that the range of product variables is extensive and exclusive. Any cabinet configurations outside these parameters will be treated as a special construction and subject to individual pricing. It is strongly recommended that any such quotes are obtained well in advance of your intended installation date. Orders for special cabinets will not be accepted for production unless accompanied by a prior authorised quotation.





Ongoing Options






Should customers have an ongoing or prolonged need for a specific cabinet which is not our current standard product range, our sales department will be available to discuss your requirements.







Tall Robes 2260 high inc 100mm legs	Code	Width	Height	Depth	Price	
 <p>Tall Single Robe 1 x Adjustable Shelf 1 X Hanging Rail <i>Door required 1 x 2155 mm high</i></p>	TR40 TR45 TR50 TR60	400 450 500 600	2160 2160 2160 2160	580 580 580 580	114 118 123 132	
 <p>Tall Double Robe 1 x Adjustable Shelf 1 X Hanging Rail <i>Door required 2 x 2155 mm high</i></p>	TR80 TR90 TR100 TR110 TR120	800 900 1000 1100 1200	2160 2160 2160 2160 2160	580 580 580 580 580	147 152 157 160 166	
 <p>Single Linen Press Style A 1 x Adjustable Shelf 1 X Hanging Rail <i>Door required</i> 1 x 1495mm high <i>Drawer fronts required</i> 1 x 115 high 3 x 175 high</p>	LPA400 LPA500	400 500	2160 2160	580 580	230 240	
 <p>Double Linen Press Style A 1 x Adjustable Shelf 1 X Hanging Rail <i>Door required</i> 2 x 1495mm high <i>Drawer fronts required</i> 1 x 115 high 3 x 175 high</p>	LPA800 LPA1000	800 1000	2160 2160	580 580	292 304	



Tall Robes 2260 high inc 100mm legs	Code	Width	Height	Depth	Price	
 <p>Single Linen Press Style B 1 x Adjustable Shelf 1 X Hanging Rail <i>Door required</i> 1 x 1495 mm high <i>Drawer fronts required</i> 3 x 215 high</p>	LPB40 LPB50	400 500	2160 2160	580 580	209 218	
 <p>Double Linen Press Style B 1 x Adjustable Shelf 1 X Hanging Rail <i>Doors required</i> 2 x 1495 mm high <i>Drawer fronts required</i> 3 x 215 Drawer fronts</p>	LPB80 LPB100	800 1000	2160 2160	580 580	268 275	
 <p>Tall Corner Robe 1 x Adjustable Shelf 1 X Hanging Rail <i>Door required 1 x 2155mm high</i></p>	TCR80 TCR90 TCR100 TCR110	800 900 1000 1100	2160 2160 2160 2160	580 580 580 580	195 198 200 204	<i>Blind corner hinges supplied as standard.</i> <i>Door hinged from blanking panel.</i> <i>170 Hinges available if required to hinge door from gable.</i>
 <p>Tall Stable Robe Complete with Blanking Panel 1 x Adjustable Shelf 1 X Hanging Rail <i>Door required</i> 1 x 2155 mm high + 1 x Stable Door <i>N.B. Height of stable door depends on height of adjoining chests.</i></p>	TRSD100	1000	2160	580	160	

Tall Robes 2260 high inc 100mm legs	Code	Width	Height	Depth	Price	
 <p>Diagonal Corner Robe No size variations available 1 x Adjustable Shelf 1 x L-Shaped Hanging Rail (supplied in component form) Door required 1 x 2155 x 445mm Door TDCR90</p>	TDCR90	900 x 900	2160	580	250	
 <p>Tall Angled Robe No size variations available 1 x Adjustable Shelf 1 X Hanging Rail TR30A angle approx 18deg <i>Doors required 1 x 2155 x 296mm</i> TR40A angle approx 27deg <i>Doors required 1 x 2155 x 396mm</i> TR50A angle approx 22.5deg <i>Doors required 1 x 2155 x 496mm</i></p>	TR30A	300	2160	580	171	
 <p>Robe Open End Shelves Fixed shelves with cut angles</p>	TRES	300	2160	580	75	

Bridge Cupboards 540 high		Code	Width	Height	Depth	Price
	Single Bridge Cupboard Type A 540mm High 480mm Deep <i>Door required 1 x 535mm high</i>	TBA54 40	400	540	480	57
		TBA54 50	500	540	480	61
		TBA54 60	600	540	480	64
	Double Bridge Cupboard Type A 540mm High 480mm Deep <i>Doors required 2 x 535mm high</i>	TBA54 80	800	540	480	74
		TBA54 90	900	540	480	78
		TBA54 100	1000	540	480	81
	Single Bridge Cupboard Type B 540mm High 580mm Deep <i>Door required 1 x 535mm door</i>	TBB54 40	400	540	580	61
		TBB54 50	500	540	580	64
		TBB54 60	600	540	580	68
	Double Bridge Cupboard Type B 540mm High 580mm Deep <i>Doors required 2 x 535mm high</i>	TBB54 80	800	540	580	78
		TBB54 90	900	540	580	81
		TBB54 100	1000	540	580	85
Cut MFC 18mm Thickness edged all round		CMFC	Price per square metre			44
18mm Thickness edged 2 long edges		MFC10	100	2600	18	11
		MFC20	200	2600	18	21
		MFC30	300	2600	18	32
		MFC60	600	2600	18	63

Standard Height Chests 640 High	Code	Width	Height	Depth	Price	
 <p>Standard Three Drawer Chest 640mm High Gables Drawer fronts required 3 x 175mm drawer fronts</p>	<p>SDC40 SDC50 SDC60</p>	<p>400 500 600</p>	<p>640 640 640</p>	<p>480 480 480</p>	<p>116 120 125</p>	<p>Please note all cabinets in this section are of dowel and glue construction. They are supplied assembled and with 100mm extended gables to assist installation. Chests and cabinets do not include tops or frontages.</p>
 <p>Standard Height Single Cabinet Full Height Door 640mm High Gables Door required 1 x 535mm high</p>	<p>SHLC40 SHLC50 SHLC60</p>	<p>400 500 600</p>	<p>640 640 640</p>	<p>480 480 480</p>	<p>57 61 64</p>	
 <p>Standard Height Double Cabinet Full Height Doors 640mm High Gables Doors required 2 x 535mm high</p>	<p>SHLC80 SHLC100</p>	<p>800 1000</p>	<p>640 640</p>	<p>480 480</p>	<p>74 81</p>	
 <p>Standard Height Single Cabinet Drawerline 640mm High Gables Door required 1 x 415mm high Drawer fronts required 1 x 115mm high</p>	<p>DLC40 DLC50 DLC60</p>	<p>400 500 600</p>	<p>640 640 640</p>	<p>480 480 480</p>	<p>78 82 86</p>	
 <p>Standard Height Double Cabinet Drawerline 640mm High Gables Doors required 2 x 415mm high Drawer fronts required 2 x 115mm high</p>	<p>DLC80 DLC100</p>	<p>800 1000</p>	<p>640 640</p>	<p>480 480</p>	<p>99 106</p>	

Medium Height Chests 760 High		Code	Width	Height	Depth	Price	
 <p>Medium Height Single Cabinet Full Height Door 760mm High Gables <i>Door required 1 x 652mm door</i></p>	MFHC40	400	760	480	57	<p>Please note all cabinets in this section are of dowel and glue construction. They are supplied assembled and with 100mm extended gables to assist installation. Chests and cabinets do not include tops or frontages.</p>	
	MFHC50	500	760	480	61		
	MFHC60	600	760	480	65		
 <p>Medium Height Double Cabinet Full Height Doors 760mm High Gables <i>Doors required 2 x 652mm doors</i></p>	MFHC80	800	760	480	66		
	MFHC100	1000	760	480	70		
 <p>Medium Height Drawer Chest Style A 760mm High Gables <i>Drawer fronts required 1 x 115mm high 3 x 175mm high</i></p>	MDCHA40	400	760	480	151		
	MDCHA50	500	760	480	155		
	MDCHA60	600	760	480	160		
	MDCHA80	800	760	480	178		
	MDCHA100	1000	760	480	182		
 <p>Medium Height Drawer Chest Style B 760mm High Gables <i>Drawer fronts required 3 x 215mm drawer fronts</i></p>	MDCHB40	400	760	480	133		
	MDCHB50	500	760	480	137		
	MDCHB60	600	760	480	142		
	MDCHB80	800	760	480	157		
	MDCHB100	1000	760	480	160		
 <p>Medium Height Single Cabinet Drawerline 760mm High Gables <i>Door required 1 x 535mm high Drawer fronts required 1 x 115mm high</i></p>	MDLC40	400	760	480	88		
	MDLC50	500	760	480	93		
	MDLC60	600	760	480	96		
 <p>Medium Height Double Cabinet Drawerline 760mm High Gables <i>Doors required 2 x 535mm high Drawer fronts required 2 x 115mm high</i></p>	MDLC80	800	760	480	127		
	MDLC100	1000	760	480	130		

		Code		Price	
	Internal Robe Drawer Unit 4 drawer unit complete with side infills and top. <i>Drawer fronts in cabinet colours</i>	IDCH5 IDCH8 IDCH10	400 mm for 500 mm wide robe 700 mm for 800 mm wide robe 900 mm for 1000 mm wide robe	144 179 190	
	Internal Robe Shelf Assembly Consists of one vertical drilled panel plus 4 shelves.	ISU400 ISU500		81 85	
	Additional Robe Shelves MFC adjustable shelves Edged all round	RS40 RS45 RS50 RS60 RS80 RS90 RS100 DRS90 DRS93	to suit 400mm robe to suit 450mm robe to suit 500mm robe to suit 600mm robe to suit 800mm robe to suit 900mm robe to suit 1000mm robe to suit 900mm diagonal corner robe to suit 930mm diagonal corner robe	8 9 9 11 14 17 19 28 30	
Sundry Fittings	Hanging Rail Nickel Plated Rail End Supports Nickel Plated 100mm Leg Set 150mm Leg Set Knock in door buffer - clear Shelf Supports Nickel plated	HR HRS SL10 SL15 DBC DBB SS10	Price per metre Price per pair Pack of 4 including 2 clips Pack of 4 including 2 clips Price each Price each Pack of 10	5 0.80 3.00 3.00 0.17 0.17 1.20	
Clip Hinges	100° hinge Complete with hinge plates 170° hinge 95° blind corner hinge 45° diagonal corner hinge	HN100 HN170 HNBC HN45		2.20 4.50 3.42 2.60	

CONDITIONS OF SALE

1. Order

The Company shall sell and the Buyer shall purchase the goods in accordance with any written quotation of the Company which is accepted by the Buyer, or any written order of the Buyer which is accepted by the Company, subject in either case to these Conditions, which shall govern the contract to the exclusion of any other terms and conditions subject to which any such quotation is accepted or purported to be accepted, or any such order is made or purported to be made by the Buyer. No variations to these conditions shall be binding unless agreed in writing between the Company and the Buyer.

2. Prices

The prices of the goods shall be the Company's quoted price or where no price has been quoted (or a quoted price is no longer valid), the price listed in the Company's published price list current at the date of despatch.

3. Defective Goods

In the event of any article proving defective in material or workmanship, the Company shall undertake to replace it free of charge unless that article has been defaced either by machine or hand after despatch from our premises. Under no circumstances shall the Company accept liability for the consequential loss or damage however arising, and any liability for any such consequential loss or damage is hereby excluded.

4. Exclusions

Subject as expressly provided in these Conditions, and except where the goods are sold to a person dealing as a consumer (within the meaning of the unfair Contract Terms Act 1977), all warranties, conditions or other terms implied by statute of common law are excluded to the fullest extent permitted by current law.

5. Description

The description of the goods has been given by way of identification only and the use if such description shall not constitute a sale by description.

6. Delivery

Any dates quoted for delivery of the goods are approximate only and the Company shall not be liable for any delay in delivery of the goods howsoever caused. Time for delivery shall not be of the essence unless previously Agreed by the Company in writing. The goods may be delivered by the Company in advance of the quoted delivery date upon giving reasonable notice to the Buyer.

7. Risk

Risk of damage to or loss of the goods shall pass to the Buyer
(i) in the case of goods to be delivered at the Company's premises at the time when the Company notifies the buyer that the goods are available for collection, or
(ii) in the case of goods to be delivered otherwise that at the Company's premises, at the time of delivery or, if the Buyer wrongfully fails to take delivery of the goods, the time when the Company has tended delivery of the goods.

Where the goods are to be delivered to the Buyer by or on behalf of the Company, the Company's liability for damage or shortage of goods will only be accepted if notified in writing by the Buyer to the Company within 48 hours of delivery.

8. Payment

Customers will be invoiced on a strictly pro-forma or cash on delivery or cash on collection basis only.

9. Property

Notwithstanding delivery and the passing of risk in the goods, the property in the goods shall not pass to the Buyer until the Company has received in cash or cleared funds payment in full of the price of the goods and all other goods agreed to be sold by the Company to the Buyer for which payment is then due. Until such time as the property in the goods passes to the Buyer (and provided the goods are still in existence and have not been resold) the Buyer shall hold the goods as the Company's fiduciary agent and bailee and shall keep the goods separate from those of the Buyer and stored, protected, insured and identified the Company's property. Until such time the Buyer shall be entitled to resell or use the goods in the ordinary course of its business but shall account to the Company for the proceeds of the sale or otherwise of the goods whether tangible or intangible, including insurance proceeds and shall keep all such proceeds separate from any monies or property of the Buyer and third parties and, in the case of tangible proceeds; property stored, protected and insured. Until such time the Company shall be entitled at any time to require the Buyer to deliver up the goods to the Company and if the Buyer fails to do so forthwith to enter the premises of the Buyer or any third party where the goods are stored and repossess the goods.

10. Storage/Invoicing

Customers will be invoiced for orders completed against an agreed delivery date and Abbeymill reserve the right to charge an appropriate storage charge for all orders not delivered or collected.